



ATHENA A

If you like bold, geometric shapes choose the Athena A. Its contrasting curves and right angles create an eye-catching effect, with no compromise on space. The Athena A towel warmer is packed with choices. It is reversible and give you the option of installing the units face-up or -down, left or right. The concealed connection point allows you to link the units directly to the mains power supply to achieve a totally seamless effect or to use the supplied cord and plug for connection to a power point. A simple flick of a switch is all you need to operate the Athena A.

TECHNICAL DATA

GENERAL


- Electric towel warmer
- Strong steel of the highest quality.
- Quiet and odour-free.
- Easy to install.
- Very low energy consumption (40-55 W).
- Choose between white RAL 9016 and chrome finish.
- Reversible
- Double-insulated
- Max. surface temperature 60°C.

CONTROLLER

- Two-pole on/off switch .
- Easy to install. During installation, choose whether you want the switch at the top or bottom.
- Choose between concealed and visible connection (sold with male contact).
- Towel warmer with heater cable for fixed installation, with 2-pole illuminated switch and concealed screw holes.
- Can be installed with concealed connection and with the connection housing at the top or bottom and on the right or left hand side.

PACKAGE

- Supplied with attached 1.5 m connection cable with plug and the necessary screws for installation.



ATHENA A



Model	Colour	Output W	Height mm	Width mm	Voltage V	Weight Kg
ATHA P 05 05 230 01 2 C	Chrome	40	425	450	230	2
ATHA P 05 05 230 01 2 W	White RAL 9016	55	425	450	230	2



IP 44



TOWEL WARMERS ATHENA E



ATHENA E

If you like bold, geometric shapes choose the Athena E. Its contrasting curves and right angles create an eye-catching effect, with no compromise on space. The Athena E towel warmer is packed with choices. It is reversible and give you the option of installing the units face-up or -down, left or right. The concealed connection point allows you to link the units directly to the mains power supply to achieve a totally seamless effect or to use the supplied cord and plug for connection to a power point. A simple flick of a switch is all you need to operate the Athena E. The Athena E is slightly smaller than Athena S and larger than the Athena A

TECHNICAL DATA

GENERAL


- Electric towel warmer
- Strong steel of the highest quality.
- Quiet and odour-free.
- Easy to install.
- Very low energy consumption (55-70 W).
- Choose between white RAL 9016 and chrome finish.
- Reversible
- Double-insulated
- Max. surface temperature 60°C.

CONTROLLER

- Two-pole on/off switch .
- Easy to install. During installation, choose whether you want the switch at the top or bottom..
- Choose between concealed and visible connection (sold with male contact).
- Towel warmer with heater cable for fixed installation, with 2-pole illuminated switch and concealed screw holes.
- Can be installed with concealed connection and with the connection housing at the top or bottom and on the right or left hand side.

PACKAGE

- Supplied with attached 1.5 m connection cable with plug and the necessary screws for installation.



ATHENA E

Model	Colour	Output W	Height mm	Width mm	Voltage V	Weight Kg
ATHE P 06 05 230 01 2 C	Chrome	55	625	450	230	3
ATHE P 06 05 230 01 2 W	White RAL 9016	70	625	450	230	3



IP 44



TOWEL WARMERS ATHENA S



ATHENA S

The looping curves of the Athena S echo the lazy winding of a river to the sea, creating a sense of calm in your bathroom. It will rapidly become indispensable, both as part of your bathroom décor and for practical reasons, as its curves can hold plenty of towels. The Athena S is reversible and can be installed facing upwards or downwards. For a smooth, clean look, take advantage of the unit's concealed connection point by linking it directly to the mains electrics or simply connect to a power point with the supplied cord and plug. The Athena S comes with an easy-to-use on/off flick switch.

TECHNICAL DATA

- GENERAL**
- Electric towel warmer
 - Strong steel of the highest quality.
 - Quiet and odour-free.
 - Easy to install.
 - Very low energy consumption (50-65 W).
 - Choose between white RAL 9016 and chrome finish.
 - Reversible
 - Double-insulated
 - Max. surface temperature 60°C.
- CONTROLLER**
- Two-pole on/off switch .
 - Easy to install. During installation, choose whether you want the switch at the top or bottom..
 - Choose between concealed and visible connection (sold with male contact).
 - Towel warmer with heater cable for fixed installation, with 2-pole illuminated switch and concealed screw holes.
 - Can be installed with concealed connection and with the connection housing at the top or bottom and on the right or left hand side.
- PACKAGE**
- Supplied with attached 1.5 m connection cable with plug and the necessary screws for installation.

